

Sliding Rooflight (Bi-Parting Slide Over Roof Rooflight)



Detailed Description

Features:

Grade 6063-T6 Extruded Aluminium
Fully Thermally Broken
Polyester Powder Coating to Minimum 60 Microns
Suitable for Marine / Coastal Environments
Stainless Steel Concealed Fixings
Air permeability – Class 4
Water tightness – Class E1050
Wind resistance – Class C5

Usage:

Suitable for all nominally flat roof constructions and coverings e.g. Single Ply PVC, Fiberglass, lead, copper, zinc and other standing seams and asphaltic material.
Suitable for Green / Sedum Roofs

Product Guidance

Up to 12200mm (external **Width**) in the sliding direction
Up to 4000mm (external **Span**) down the fall

Wide range of sizes available

NB: These are external kerb sizes.

Internal finished sizes; minus 300mm from above Width & Height dimensions

Typical Glazing Details:

6mm Toughened Outer
18mm Warm Edge Spacer with 90% Argon Cavity
8.8mm Laminate Low-e Inner

Glass Centre Pane U-Value 1.1W/m²

Standard Colour:

Internal – RAL 9010 Pure White Matt
External – RAL 7015 Slate Grey Matt

Next Generation Rooflights

Queens Business Park, Wilbraham Road, Fulbourn, Cambridge CB21 5GT

01223 792 244 | info@nextgenrooflights.co.uk | www.nextgenrooflights.co.uk

Next Generation Rooflights is a trading name of Next Gen Rooflights Limited.

Company No. 08429446, VAT No. 169 7051 80, Registered Office: 1 Vicarage Lane, Stratford, London, E15 4HF.





**NEXT
GENERATION
ROOFLIGHTS**

Seals:

Structural & Weather Seal – Low Modulus Silicone Sealant
PVC coated – UV & Water Resistant

Upstand:

To suit an overall finished Upstand of 150mm. Upstand by Next Generation Rooflights if required.

Warranty:

1 Year offered as standard.

Extended warranty available as below, upon registration.

Glazing 10 Years

Powder Coating 10 Years

Mechanical Components 1 Year

Options

Operation:

Access keypad

Rain Sensor

Temperature sensor

Control by Smartphone

Size:

Non-standard sizes are available on request.

Colour:

Any RAL or BS colour can be specified

Glazing Details:

Enhanced glazing specifications incorporating thermal, acoustic, security, light transmission, solar gain and decorative options are available, please contact manufacturer for details.

Next Generation Rooflights

Queens Business Park, Wilbraham Road, Fulbourn, Cambridge CB21 5GT

01223 792 244 | info@nextgenrooflights.co.uk | www.nextgenrooflights.co.uk

Next Generation Rooflights is a trading name of Next Gen Rooflights Limited.

Company No. 08429446, VAT No. 169 7051 80, Registered Office: 1 Vicarage Lane, Stratford, London, E15 4HF.





**NEXT
GENERATION
ROOFLIGHTS**

Product Specification

Manufacturer:

Name: Next Generation Rooflights
Web: www.nextgenrooflights.co.uk
Email: info@nextgenrooflights.co.uk
Tel: +44 (0)1223 79 22 44
Address: Queens Business Park, Wilbraham Road, Fulbourn,
Cambridge, CB21 5GT
Product reference: Bi-Parting Slide Over Fixed Rooflight

Other Rooflights in the Range

Fixed Skylight

Opening Rooflight – Manual
Opening Rooflight – Electric

Walk On Glass Floor – Internal Use
Walk On Glass Floor – External Use

Pyramid Rooflight
Pyramid Rooflight – Manual
Pyramid Rooflight – Electric

Lantern Rooflight
Lantern Rooflight – Manual
Lantern Rooflight – Electric

Access Hatch Rooflight – Manual
Access Hatch Rooflight – Electric

Slide Over Roof Rooflight
Slide Over Fixed Rooflight
Bi-Parting Slide Over Fixed
Roof Access Door

Next Generation Rooflights

Queens Business Park, Wilbraham Road, Fulbourn, Cambridge CB21 5GT

01223 792 244 | info@nextgenrooflights.co.uk | www.nextgenrooflights.co.uk

Next Generation Rooflights is a trading name of Next Gen Rooflights Limited.
Company No. 08429446, VAT No. 169 7051 80, Registered Office: 1 Vicarage Lane, Stratford, London, E15 4HF.

