

The Walk On Glass Floors - External

Detailed Description

Features:

Grade 6063-T6 Extruded Aluminium
Fully Thermally Broken
Polyester Powder Coating to Minimum
60 Microns



Suitable for Marine / Coastal Environments
Stainless Steel Concealed Fixings
Tested in accordance with the CWCT Standard
Air & Water Resistance 1050pa
Wind Load Resistance 2.0kN/m²
BS EN 1991-1 1.5kN/m² UDL & 2.0kN/m² PL Concentrated Load (Domestic Loading)
Commercial Loading available on request

Usage:

Suitable for all nominally flat roof constructions and coverings e.g. Single Ply PVC,
Fiberglass, lead, copper, zinc and other standing seams and asphaltic material.
Suitable for Green / Sedum Roofs

Product Guidance

Standard Sizes

(mm)	Height	1000	1200	1400	1500
Width					
1000		✓	✓	✓	✓
1200		✓	✓	✓	✓
1400		✓	✓	✓	✓
1500		✓	✓	✓	✓

Non-standard sizes and shapes are available on request

NB: These are external kerb sizes.

Internal finished sizes; minus 200mm from above Width & Height dimensions

Next Generation Rooflights

Queens Business Park, Wilbraham Road, Fulbourn, Cambridge CB21 5GT

01223 792 244 | info@nextgenrooflights.co.uk | www.nextgenrooflights.co.uk

Next Generation Rooflights is a trading name of Next Gen Rooflights Limited.

Company No. 08429446, VAT No. 169 7051 80, Registered Office: 1 Vicarage Lane, Stratford, London, E15 4HF.





**NEXT
GENERATION
ROOFLIGHTS**

Standard Glazing Details:

12mm Toughened / 1.52mm PVB Interlayer / 12mm Toughened Outer
16mm Warm Edge Spacer with 90% Argon Cavity
8.8mm Laminate Low-e Inner
Glass Centre Pane U-Value 1.1W/m²K

Enhanced glazing specifications incorporating Anti slip, thermal, acoustic, security, light transmission, solar gain and decorative options are available, please contact manufacturer for details.

Standard Colour:

Internal – Ral 9010 Matt
External – Ral 7015 Matt

Any RAL or BS colour can be specified
Anodised options

Seals:

Structural & Weather Seal – Low Modulus Silicone Sealant
EPDM – UV & Water Resistant

Upstand:

To suit an overall finished Upstand of 110mm in width. Upstand by Next Generation Rooflights if required.

Warranty:

1 Year offered as standard.
Extended warranty available as below, upon registration.

Glazing 10 Years
Powder Coating 10 Years

Options

Size:

Non-standard sizes and shapes are available on request.

Next Generation Rooflights

Queens Business Park, Wilbraham Road, Fulbourn, Cambridge CB21 5GT

01223 792 244 | info@nextgenrooflights.co.uk | www.nextgenrooflights.co.uk

Next Generation Rooflights is a trading name of Next Gen Rooflights Limited.

Company No. 08429446, VAT No. 169 7051 80, Registered Office: 1 Vicarage Lane, Stratford, London, E15 4HF.





**NEXT
GENERATION
ROOFLIGHTS**

Product Specification

Manufacturer:

Name: Next Generation Rooflights

Web: www.nextgenrooflights.co.uk

Email: info@nextgenrooflights.co.uk

Tel: +44 (0)1223 79 22 44

Address: Queens Business Park, Wilbraham Road, Fulbourn,
Cambridge, CB21 5GT

Product reference: The Walk-On Glass Floor - External

Other Rooflights in the Range

Fixed Skylight

Access Hatch Rooflight - Manual
Access Hatch Rooflight - Electric

Opening Rooflight - Electric
Opening Rooflight - Manual

Walk On Glass Floor - Internal use

Pyramid Rooflight
Pyramid Rooflight - Manual
Pyramid Rooflight - Electric

Lantern Rooflight
Lantern Rooflight - Manual
Lantern Rooflight - Electric

Slide Over Roof Rooflight
Slide Over Fixed Rooflight
Bi-Parting Over Rooflight
Bi-Parting Over Fixed Rooflight
Access Rooflight Door

Next Generation Rooflights

Queens Business Park, Wilbraham Road, Fulbourn, Cambridge CB21 5GT

01223 792 244 | info@nextgenrooflights.co.uk | www.nextgenrooflights.co.uk

